



Sanjeevani Darshan

ISSN: 2584-0304

<http://sanjeevanidarshan.com>



National Journal of
AYURVEDA & YOGA



Year - 2026

Volume 4, Issue 2

“AYURVEDIC MANAGEMENT OF CERVICAL SPONDYLOSIS WITH VATAGAJANKUSH RAS AND NASYA: A SINGLE CASE STUDY”**Dr. Prerna Masatkar¹, Dr Archana S. Dachewar²**

1. Phd Scholar, Dept. of Kaychikitsa, Shri Ayurved Mahavidyalaya, Nagpur, Maharashtra
2. Professor & HOD, Dept. of Kaychikitsa, Shri Ayurved Mahavidyalaya, Nagpur, MH

ABSTRACT:

Cervical spondylosis is a degenerative condition of the cervical spine commonly seen in middle-aged individuals, characterized by neck stiffness, pain, and sometimes neurological deficits. In Ayurveda, it can be correlated with Greeva Graha, a Vata-dominant disorder affecting the cervical region. This case study evaluates the efficacy of Vatagajankush Ras and Nasya Karma in the management of cervical spondylosis. A 42-year-old female presented with complaints of chronic neck pain and stiffness visited hospital for treatment. After 21 days of Ayurvedic intervention, the patient reported significant improvement in symptoms without adverse effects. This suggests that an integrative Ayurvedic approach can effectively manage Vata-vyadhi, like cervical spondylosis.

KEY WORDS:- Cervical spondylosis, Greeva Graha, Vatagajankush Ras, Nasya, Ayurveda, Vata Vyadhi

Corresponding Details:**Dr. Prerna Masatkar**

Plot no.34, Shri Hari Nagar, Manewada Ring Road,
Nagpur, Maharashtra, 440027
Mobile No. 9834707734
E-Mail: prernamasatkar29@gmail.com



How to cite article:

Dr. Prerna Masatkar, Dr. Archana s. Dachewar
Ayurvedic Management of Cervical Spondylosis with Vatagajankush Ras and Nasya: A Single Case Study,
Sanjeevani Darshan - National Journal of Ayurveda & Yoga 2026; 4(2): 01-10 :
<http://doi.org/10.55552/SDNJAY.2026.4201>

INTRODUCTION

Cervical spondylosis is a chronic degenerative condition involving the intervertebral discs and vertebrae of the cervical spine, often leading to neck pain, stiffness, and neurological symptoms. It is highly prevalent in individuals over 40 due to postural stress, sedentary lifestyle, and degenerative changes.^[1]

In Ayurvedic literature, these symptoms align with Greeva Graha, a Vata-dominant disorder affecting the cervical region. Aggravated Vata dosha in Asthi and Majja dhatus leads to degeneration, dryness, and compression symptoms.^[2]

Conventional treatments often offer only symptomatic relief. Ayurvedic management aims to correct the root cause by balancing Vata dosha and nourishing the affected tissues.^[3] Vatagajankush Ras, a classical herbo-mineral formulation, is indicated in Vata Vyadhi for its Vedanasthapana (analgesic) and Vatahara (Vata pacifying) properties.^[4] Nasya Karma, a form of Panchakarma, is especially beneficial in Urdhva Jatrugata* (supraclavicular) disorders.^[5]

This paper presents a case where the integrative use of Vatagajankush Ras and Nasya Karma provided significant clinical benefits.

AIM & OBJECTIVE:

This study aims to evaluate the efficacy of vatagajakush ras along with anutail nasya in the patient of cervical spondylosis on the Oswestry neck disability score and range of motion along with ayurvedic symptom score, with reference to manyaghraha.

CASE REPORT AND INFORMED CONSENT

This case study involves a 42-year-old female with neck pain, stiffness, tingling, headaches, and sleep disturbances over six months. She has no trauma or systemic illness history, with temporary relief from analgesics. Clinical assessment identified her as Vata prakriti, and Ayurvedic diagnosis classified her condition as Manya Graha, with Vata dominance affecting Asthi and Majja tissues via Asthivaha and Majjavaha srotas. Pathogenesis involves Vata vitiation from dry, cold dietary and lifestyle factors, leading to tissue depletion. Modern diagnosis confirms cervical spondylosis based on clinical findings. The case underscores the importance of integrating Ayurvedic and modern perspectives for comprehensive management, emphasizing detailed history, assessment, and diagnosis in treatment planning.

MATERIAL AND METHOD :

This patient was randomly selected from opd of institute in ayurveda ,Nagpur satisfying the following inclusion criteria.

Inclusion Criteria :- 1. Patients having sign and symptoms of Manyagraha according to classics. 2. Neck pain more than three month. 3. The Oswestry neck disability questionnaire, which has been described in criteria of assessment will be taken in to account. 4. Patient willing and able to participate in the study. 5. Radiological changes, degenerative changes in cervical spine.

Exclusion Criteria:- 1)History of any fracture of vertebral joint/ surgical/ diagnostic intervention with reference to affected joints will be excluded. 2)The patient who had fix joint or having developed contracture not be included in study. 3) Patient with uncontrolled hypertension ($\geq 160/100$ mm of Hg) and uncontrolled diabetes (Blood sugar level fasting >150 mg/dl and post prandial >250 mg/dl) will be ruled out. 4)Patient who are not fit for Nasya. 5) Patient with evidence of malignancy. 6) Patient on prolonged (≥ 6 weeks) medication with corticosteroids, nonsteroidal anti inflammatory drug, antidepressants, anticholinergic etc. or any drugs that may influence on the outcome of the study. 7) Patient who have a past history of any other systemic disorders will be excluded. 8) Pregnant / lactating women. 9) Patients who had participated in any other clinical trial since last six month.

HISTORY OF PRESENT ILLNESS

patient was said to be healthy before 4 months. Then she suffered from fever and pain in the nape of the neck radiating to the right hand, for which she consulted a local clinic and took medicine (Paracetamol), after which the fever subsided. But neck pain still persisted. Pain was severe, agonizing, and pricking associated with numbness. She was unable to lift her right hand. She consulted with a local hospital in her area but did not find any relief. So she approached our L. K. Ayurveda Hospital and was admitted on 02/04/2024 for further management.

Table showing Intervention

Sr No	Medicine	Dose	Anupana	Duration	Bheshaja Sevankala
1	Vatagajankush Ras	250mg	Koshna Jal	21 Days	Apan Kala(After Meals Two Times)
2	Anutail Nasya	4 Drops In Each Nostril	-----	21 Days	Morning And Evening

Ingradients of vatagajankush ras:

मृतं सूतं मृतं लोहं ताप्यं गन्धक तालकम्।
 पथ्या श्रुङ्गि विषं व्योषमग्निमन्थञ्च टन्कणम्॥
 तुल्यं खल्ले दिनं मर्द्यं मुण्डी निर्गुण्डिकाद्रवैः।
 व्दिगुंजा वटीका खादेत सर्ववातप्रशान्तये॥
 मन्यास्तंभमुरुस्तम्भं वातरोगं विनाशयेत्।
 पक्षाघातादिरोगेषु कथितः परमोत्तमः॥१२०॥
 भैषज्य रत्नावलि वातव्याधि प्रकरण(pgno.३८३)

Sr No.	Name		Part	Therapeutic Uses
1	Parad Bhasma		1	Vataroga
2	Loha Bhasma		1	Balya,Shoolnashan,Kaphaprakopjanya Vikar
3	Swarnamakshik Bhasma		1	Strengthens The Nerves
4	Shudhdha Gandhak		1	Rasayan,Yogvahi
5	Shudhdha Hartal		1	Alleviates Vatanadi Janya Vedana
6	Haritaki		1	Deepan,Shulahara, Shothhara.
7	Karkat Shrungi		1	-Vatakapha Hara.
8	Shudhdha Vatsanabha		1	Prabhav-Rasayan,Yogvahi.Dosha-Tridoshaghna Specially Vatahara.
9	Agni Mantha		1	Nuralgia,Arthritis
10	Sunthi		1	Doshaghna-Kaphavatahara.Vedanashtapan
11	Marich		1	Dosha-Kapha Vatahara
12	Pippali		1	Shoolahara
13	Shudhdha Tankan		1	Vishanashak
14	Gorakh Mundi (Bhavana)		1	Shola Hara,Krimighna
15	Nirgundi(Bhavana)		1	Kapha Vatahara Sholahara,Shothahara

Anutail nasya:-

जीवन्तीजलदेवदारुजलदत्वक्ऽऽसेव्यगोपीहिमं
 दार्वीत्वङ्गधुकप्लवागुरुवरीपुण्ड्राह्निबिल्वोत्पलम्
 धावन्यौ सुरभिं स्थिरे कृमिहरं पत्रं त्रुटिं रेणुकां
 किञ्जल्कं कमलाद्वलां शतगुणे दिव्येऽम्भसिकाथयेत्॥३७॥
 तैलाद्रसं दशगुणं परिशेष्य तेन
 तैलं पचेत् सलिलेन दशैव वारान्
 पाके क्षिपेच्च दशमे सममाजदुग्धं
 नस्यं महागुणमुशन्यणुतैलमेतत्॥३८॥

(अष्टाङ्गहृदयम् सूत्रस्थानम् - २०.नस्यविधिरध्यायः)

फलश्रुतिमन्यास्तम्भः शिरःशूलमर्दितं हनुसङ्ग्रहः॥५९॥
 पीनसार्धावभेदौ च शिरःकम्पश्च शाम्यति।

(चरकसंहिता सूत्रस्थानम् - ५.मात्राशितीयोऽध्यायः)

Anutaila is Vataghna, Bruhana, and Snehan. It is Sukshma Srtotogami. Profuse Secretions occur after administration of Anutaila Nasya. Anutaila firstly mobilises the kaphadi doshas from these sthanas, and then it acts there as Bruhana. Oil reaches the minute channels and removes all the doshas. The Sneha reaches the srotasas, Oleation and Strengthening action takes place on ligaments and tendons of the upper part of the Body. To achieve the benefits of Anutaila, it is best used in the Nasya form.

The above treatment was given to the patient for a period of 21 days. Patient was assessed for the Oswestry neck disability score (NDI), which is a 10-point scoring scale that ranges from 0 to 5, and the total score was calculated out of 50. further it is expressed in percentage, indicating 1).0-8%= no disability 2).10-28% =mild disability,

3). 30%-48% = moderate disability, 4).50%-64% = severe disability 5).70-100%=complete disability. Range of motion (ROM)where cervical range of movement is measured during 1) flexion, 2) extension, 3) right rotation, 4) left rotation, 5) right lateral flexion, 6) left lateral flexion. And symptom score gradation ranges from 0 to 5.

Observation :-**Table showing CROM BT and AT**

S.N.	Cervical Movements	Normal range of movement	Observed range of movement	
			Before Treatment	After Treatment
1.	Flexion	80°-90°	70°	90°
2.	Extension	70°	50°	70°
3.	Right rotation	90°	70°	80°
4.	Left rotation	90°	70°	80°
5.	Right lateral	20°-45°	20°	40°
6.	Left lateral	20°-45°	20°	40°

Table showing Oswestry Neck Disability Index BT and AT

Oswestry Neck Disability Index (score)	BT	AT
Pain Intensity	3	0
Personal Care (Washing, Dressing, etc.)	1	0
Lifting	3	1
Reading	3	1
Headaches	1	0
Concentration	2	0
Work	1	0
Driving	0	0
Sleeping	2	1
Recreation	2	0
Total score	18/50 (moderate disability)	3/50(no disability)

Table showing symptom score BT and AT

PramukhaVedana	BT	AT
1. Manyashula (Cervical pain)	5	0
2. Akunchan Prasaranyah Shula (Pain on extension and flexion)	2	0
3. Graha (Stiffness)	2	1
4. Pidanasahtva (Tenderness)	1	0
5. Shulasya Kala (Duration of pain)	3	1
6. Anidra	1	0

Results:- The patient showed significant improvement across the board.

Here is a summary of the progress:

- **Range of Motion (CROM):** Every movement returned to the normal range. Specifically, flexion and extension reached full capacity, and lateral bending doubled in flexibility.
- **Disability Index (NDI):** The score dropped from **18 (Moderate Disability)** to **3 (No Disability)**. The most notable changes were the total elimination of pain intensity, headaches, and concentration issues.
- **Symptom Score:** Major clinical symptoms like *Manyashula* (cervical pain) and *Akunchan Prasaranyah Shula* (pain during movement) were completely resolved (0), while stiffness and duration of pain were significantly reduced. [1]

Overall, the treatment was highly effective, moving the patient from a state of functional limitation to being virtually symptom-free.

DISCUSSION

The disorders of the joint and locomotor system are one of the results of the modern era. The vitiated doshas obstruct Vatastrotas, leading to painful and restricted movements of the neck. The Manyagraha can be correlated with cervical spondylosis. Vata dosha and asthi dhatu have been said to be ashraya-ashrayi bhava. That means aggravation of Vayu causes bony degenerative changes in relation to Asthi dhatu kshyaya. Manyagraha, that this comes under Vatavyadhi and must be treated under the Chikitsa Sidhdhant of Vatavyadhi. Vagbhata highlighted the use of Nasya in Shula because of Vayu. Also, the place of the disease, Manyagraha, is above Jatru, hence Nasya is the choice of treatment. In Ayurvedic pharmacopeia, i.e., Bhaishajyaratnavali, Vatagajankush Ras had been advocated for various Vatavyadhis, especially for Manyasthambha/graha.

Probable mode of action of Vatagajankush Ras:

The formulation works through four primary therapeutic pathways:

- **Nervine Stimulation & Pain Relief (Vedanasthapana):**
 - **Shudhdha Vatsanabha** and **Shudhdha Hartal** act on the peripheral nervous system to alleviate *Vatanadi Janya Vedana* (neuralgic pain).
 - **Nirgundi** and **Haritaki** possess potent anti-inflammatory properties that reduce nerve root irritation.
- **De-obstruction of Channels (Sroto-shodhana):**
 - The combination of **Sunthi, Marich, and Pippali (Trikatu)** with **Shudhdha Tankan** clears *Ama* (metabolic toxins) and reduces *Stambha* (stiffness) by improving local circulation.
- **Tissue Rejuvenation & Strengthening (Rasayana/Balya):**
 - **Loha Bhasma** and **Swarnamakshik Bhasma** provide essential minerals to nourish the *Asthi* (bone) and *Majja* (marrow/nerve) tissues, preventing further degeneration.
 - **Agni Mantha** specifically targets neuralgia and helps in restoring muscle tone.
- **Bio-catalytic Action (Yogvahi):**
 - **Parad Bhasma** and **Shudhdha Gandhak** act as carriers, ensuring the active herbal components reach the deep-seated cervical tissues rapidly.

Probable Mode Of Action Of Anutaila Nasya:-

- In Ayurveda, *Nasa hi Shiraso Dwaram* (the nose is the gateway to the head), and Anutaila utilizes this pathway to address both the symptoms and the root cause of cervical distress. The medicinal properties are absorbed by the nasal venous plexus,

reaching the cavernous sinus, which helps in the absorption of the *Bhasmas* and herbs. The irritating properties of certain ingredients in *Anutaila* (like *Tejpatra* or *Twak*) liquefy the stagnant *Kapha* and *Ama* in the sinuses and cervical tissues.

- This "mobilization" clears the *Srotas* (channels), removing the stiffness (*Stambha*). Once the channels are clear, the *Sneha* (oil) performs its primary role:
- Oleation of Ligaments: The oil reaches the deeper *Sandhi* (joints) and *Snayu* (ligaments/tendons) of the cervical vertebrae.
- Vata Shamana: Since Vata is dry and cold, the warm, unctuous nature of *Anutaila* neutralizes it.
- Bruhana (Nourishment): It acts as a nutrient for the degenerated intervertebral discs, providing the "cushioning" effect

CONCLUSION

In conclusion, the combined effect of the oral *vatagajankush ras* and *Anutaila Nasya* provides a comprehensive approach to managing *Manyastambha* (Cervical Spondylosis). Cervical Spondylosis is a Vata-Kapha dominant condition involving *Dhatukshaya* (degeneration of discs/vertebrae) and *Margavarodha* (stiffness due to blocked channels).

- The Oral Formulation acts systemically as a *Vatashamana* and *Balya* agent. Ingredients like *Vatsanabha* and *Hartal* target the nerve-related pain (*Vatanadi Janya Vedana*), while the *Bhasmas* provide the necessary minerals to arrest degenerative changes in the *Asthi* (bone) and *Sandhi* (joints).
- *Anutaila Nasya* provides localized *Snehana* (oleation) and *Bruhana* (nourishment). By reaching the *Sukshma Srotas* (minute channels) of the cervical region, it liquefies obstructive *Kapha* (observed as profuse secretions) and then strengthens the *Snayu* (ligaments) and *Kandara* (tendons) of the neck.

The synergy between these treatments is clearly reflected in the patient's data:

- Restoration of Mobility (CROM): The shift from restricted movement to a normal 80°-90° range is a result of the *Stambha-hara* (stiffness-relieving) action of *Trikatu* and *Tankan*, combined with the lubricating effect of *Anutaila* on the intervertebral joints.
- Functional Rejuvenation (NDI): The dramatic drop in the disability score (from 18 to 3) signifies that the treatment did not just mask pain but restored functional integrity. The resolution of Pain Intensity and Headaches confirms the successful pacification of *Vata* at the *Uttamanga* (head and neck).

- Symptom Relief: The complete resolution of *Manyashula* (cervical pain) and *Akunchan Prasarnya Shula* (pain on movement) proves that the *Vedanasthapana* herbs successfully desensitized the irritated nerve roots.

REFERENCES

- 1) [Adams and Victor's Principles of Neurology, 12e](#) ch.Pain in back ,neck and extremities.
- 2) Sharma P.V. Carak Samhita (text with English translation)Chikitsa sthana adhyaya 28/18;Chaukhambha Orientalia; Varanasi: 1998 pg no. 462,
- 3) Kaviraj Atridev Gupta,Vaidya Yadunandan Upadhyay edited Ashtang Hridayam of Vagbhatawith vidyotini hindi commentary chikitsa sthana adhyaya 21/1-4,Eighth edition 1982, chowkhamba Sanskrit Sansthana,Varanasi.
- 4) 4 .Kaviraj Ambikadutta shashtri,Bhaishajya Ratnavali,vidyotini Hindi commentary,Vatavyadhi Chikitsa Prakaran26/116-120;14th edition 2001, chowkhamba Sanskrit Sansthana,Varanasi,pg. no.383 .
- 5) Kaviraj Atridev Gupta,Vaidya Yadunandan Upadhyay edited Ashtang Hridayam of Vagbhatawith vidyotini hindi commentary sutrashtana Adhyaya 20/1;3-4;Eighth edition 1982, chowkhamba Sanskrit Sansthana,Varanasi.
- 6) The Ayurvedic formulary of India By [Ayurvedic Pharmacopoeia Committee](#) 2nd edition,[2003](#) Publisher: Controller of Publications,Delhi .
- 7) Dr.Talmale S. Priyavratnughraha Part II;2017; Dhanwantari Publication Nagpur pg.no.238,547,365,246,245,243,271,456,587.

Sanjeevani Darshan
National Journal of Ayurveda & Yoga

Source of Support : None Declared

Conflict of Interest : Nil